CC/CEM Version 3.1 Revision 2 使用上の留意事項

1. CEM の Part 1 参照部分の修正

現在 CC V3.1 Revision 2の Part 1 は発行されていません。Revision 2対応の Part 1 が発行されるまでは、CC V3.1 Revision 2の Part 1 については Revision 1のものが引き続き有効です。

なお、CEM の Revision 2(CCMB-2006-09-004)において、Part 1 の参照先が Revision 1 のページとは異なっている箇所があります。Part 1 の参照に関しては CEM の Revision 1 が正しいため、下表を参考に CEM V3.1 Revision 2 を補完してください。なお、対応する日本語翻訳版(改訂第 2 版)には下記参照先は修正されています。

CEM V3.1 Evaluation methodology Revision 2 (CCMB-2007-09-004)

CEM V3.1 Revision 2			CEM V3.1 Revision 1		
ページ	章・節		ページ	章・節	
	段落番号			段落番号	
21	45	as noted in Annex 0.	21	44	as noted in AnnexA.5
54	238	with CC Part1 Annex	50, 51	237	with CC Part1 Annex, C.4,
	246	8, Operations		245	Operation
59	272	Guidance on the correct	56	271	Guidance on the correct
	273	performance of		272	performance of operations
	274	operations may be		273	may be found in CC Part 1
	275	found in CC Part 1		274	Annex C.4, Operations.
		Annex 8, Operations.			
63	Class APE	Guidance on the correct	60	Class APE	Guidance on the correct
	292	performance of		291	performance of operations
	293	operations may be		292	may be found in CC Part 1
	294	found in CC Part 1		293	Annex C.4, Operations.
	295	Annex 8, Operations.		294	

87	426	the extended functional	82	425	the extended functional	
		component is consistent			component is consistent	
		with CC Part 18,			with CC Part 1 Annex C.4,	
		Operations.			Operations.	
92	460	Guidance on the correct	88	459	Guidance on the correct	
	461	performance of		460	performance of operations	
	462	operations may be		461	may be found in CC Part 1	
	463	found in CC Part 1		462	Annex C 4, Operations.	
		Annex 8, Operations.				
96	480	Guidance on the correct	92	479	Guidance on the correct	
	481	performance of		480	performance of operations	
	482	operations may be		481	may be found in CC Part1	
	483	found in CC Part 1		482	Annex C4, Operations.	
		Annex 8, Operations.				

2. 原文の誤り

CC V3.1 Revision2 の原文(英語版)において、以下の誤記があります。英語版を使用の際にはご注意ください。なお、対応する日本語翻訳版ではすでに修正されています。

CC V3.1 Part 2: Security functional components Revision 2 (CCMB-2007-09-002)

ページ	章・節	誤	正	
	段落番号			
39	8.5	requires the ability to select ·····	FAU_SEL.1 Selective audit, requires	
	113		the ability to select ·····	
231	F.6F.	An example of rules to explicitly	An example of rules to explicitly	
	799	authorise information flows is	deny information flows is based on	
	809	based on a privilege vector	a privilege vector associated with a	
		associated with a subject that	subject that always denies the	
		always denies the subject the	subject the ability to cause an	
		ability to cause an information	information flow for information	
		flow for information that is	that is covered by the SFP that has	
		covered by the SFP that has been	been specified.	
		specified.		

CEM V3.1 Evaluation methodology Revision 2 (CCMB-2007-09-004)

ページ	章・節	誤	正
	段落番号		
260	Class ALC	The output documentation should not only	[左記部分すべて削除]
	1188	include numeric values of the metrics but	
		should also document actions taken as a result	
		of the measurements and in accordance with	
		the model. For example there may be a	
		requirement that a certain design phase needs	
		to be repeated, if some error rates measured	
		during testing are outside of a defined	
		threshold. In this case the documentation	
		should show that such action was taken, if	
		indeed the thresholds were not met.	