



Assurance Continuity Maintenance Report

Buheita Fujiwara, Chairman
Information-technology Promotion Agency, Japan

Changed TOE

Application date/ID	2007-05-24 (ITM-7023)
Certification No.	C0019
Sponsor	Konica Minolta Business Technologies, Inc.
Name of TOE	Japan: bizhub PRO 1050/1050e zentai seigyo software Overseas: bizhub PRO 1050/1050e control software
Version of TOE	Japan: Gazou seigyo program (Gazou seigyo I1): 50-0000 Controller seigyo program (IP control P1): 30-0000 Overseas: Image control program (Image control I1): 50-0000 Controller control program (IP control P1): 30-0000
Conformed Claim	EAL3
Developer	Konica Minolta Business Technologies, Inc.

This is to report that the result of assurance continuity for the above changed TOE is as follows.

2007-08-20

Haruki Tabuchi, Technical Manager
Information Security Certification Office
IT Security Center

Evaluation Criteria, etc.: The changed TOE is verified for assurance continuity in accordance with the provision of the "IT Security Evaluation and Certification Scheme".

- Common Criteria for Information Technology Security Evaluation Version 2.1 (ISO/IEC 15408:1999)
- Common Methodology for Information Technology Security Evaluation Version 1.0
- CCIMB Interpretations (as of 15 February 2002)

Certification Result: Pass

"Japan: bizhub PRO 1050/1050e zentai seigyo software (Gazou seigyo program (Gazou seigyo I1): 50-0000, Controller seigyo program (IP control P1): 30-0000), Overseas: bizhub PRO 1050/1050e control software (Image control program (Image control I1): 50-0000, Controller control program (IP controller P1): 30-0000)" (the changed TOE) has been verified in accordance with the provision of the "IT Security Certification Procedure" by Information-technology Promotion Agency, Japan, and has confirmed the assurance continuity as the maintained TOE.

Notice:

This document is the English translation version of the Assurance Continuity Maintenance Report published by the Certification Body of Japan Information Technology Security Evaluation and Certification Scheme.

Table of Contents

1. Executive Summary	1
1.1 Introduction	1
1.2 Identification of Assurance Continuity	1
1.2.1 Identification of the Changed TOE	1
1.2.2 Identification of the Certified TOE	1
1.2.3 ST Identification of the Certified TOE	2
1.2.4 Identification of the Certification Report of Certified TOE.....	2
1.3 Certificate of Assurance Continuity.....	2
1.4 Overview of Report	2
1.4.1 Description of Change.....	2
1.4.2 Modified Developer Evidence	4
1.4.3 Documents Attached to the changed TOE	5
2. Conduct and Results of Assurance Continuity by the Certification Body	6
2.1 Overview of Assurance Continuity Conducted	6
2.2 Conduct of Certification	6
3. Conclusion	7
3.1 Certification Result	7
3.2 Recommendations.....	7
4. Glossary	8
5. Bibliography	10

1. Executive Summary

1.1 Introduction

This Assurance Continuity Maintenance Report describes the certification result in relation to the assurance continuity for changed “Japan:bizhub PRO 1050/1050e zentai seigy software(Gazou seigy program (Gazou seigy I1): 50-0000, Controller seigy program (IP control P1): 30-0000),Overseas:bizhub PRO 1050/1050e control software (Image control program (Image control I1): 50-0000, Controller control program (IP controller P1): 30-0000) (hereinafter referred to as “the changed TOE”)” to the Certified TOE “Japan:bizhub PRO 1050 zentai seigy software(Gazou seigy program (Gazou seigy I1): 11-0000, Controller seigy program (IP control P1): 10-0000),Overseas:bizhub PRO 1050 control software (Image control program (Image control I1): 11-0000, Controller control program (IP controller P1): 10-0000) (hereinafter referred to as “the certified TOE”)”, and it report to sponsor, Konica Minolta Business Technologies, Inc.

The reader of the Assurance Continuity Maintenance Report is advised to read the following Certification Report, ST for the certified TOE and manual attached to the changed TOE (please refer to “1.4.3. Documents attached to the changed TOE” for further details) together with this report. The assumed environment, corresponding security objectives, security functional and assurance requirements needed for its implementation and their summary specifications are specifically described in the ST of certified TOE. The operational conditions and functional specifications are also described in the document attached to the changed TOE.

Note that the Assurance Continuity Maintenance Report presents the certification result in relation to assurance continuity which will give the changed TOE the same assurance level given to the certified TOE, and does not certify individual IT product itself.

1.2 Identification of Assurance Continuity

1.2.1 Identification of the Changed TOE

The changed TOE which this assurance continuity applies is as follows:

Name of TOE:	Japan: bizhub PRO 1050/1050e zentai seigy software Overseas: bizhub PRO 1050/1050e control software
Version of TOE:	Japan: Gazou seigy program (Gazou seigy I1): 50-0000 Controller seigy program (IP control P1): 30-0000 Overseas: Image control program (Image control I1): 50-0000 Controller control program (IP control P1): 30-0000
Developer:	Konica Minolta Business Technologies, Inc.

1.2.2 Identification of the Certified TOE

The certified TOE of this assurance continuity is as follows:

Certification No.:	C0019
Name of TOE:	Japan: bizhub PRO 1050 zentai seigy software Overseas: bizhub PRO 1050 control software
Version of TOE:	Japan: Gazou seigy program (Gazou seigy I1): 11-0000

Controller seigy program (IP control P1): 10-0000
 Overseas: Image control program (Image control I1): 11-0000
 Controller control program (IP control P1): 10-0000

Developer: Konica Minolta Business Technologies, Inc.
 Conformed Claim: EAL3

1.2.3 ST Identification of the Certified TOE

The ST of certified TOE of this assurance continuity is as follows:

Title: Multi functional printer (digital copier) bizhub PRO 1050 Series
 Security Target

Version: Version 10

Publication date: 2004-12-21

Author: Konica Minolta Business Technologies, Inc.

1.2.4 Identification of the Certification Report of Certified TOE

The certification report of certified TOE of this assurance continuity is as follows:

Name of TOE: Japan: bizhub PRO 1050 zentai seigy software
 Overseas: bizhub PRO 1050 control software

Version of TOE: Japan: Gazou seigy program (Gazou seigy I1): 11-0000
 Controller seigy program (IP control P1): 10-0000
 Overseas: Image control program (Image control I1): 11-0000
 Controller control program (IP control P1): 10-0000

Application ID: ITC-4027

Publication date: 2005-02-09

Author: Information Security Certification Office, IT Security Center
 Information-technology Promotion Agency, Japan

1.3 Certificate of Assurance Continuity

Based on IT Security Evaluation/Certification Program operated by the Certification Body, the Certification Body verifies the Impact Analysis Report[4] (hereinafter referred to as "IAR") prepared by developer and confirmed that assurance will be maintained against the changed TOE in accordance with those publicized documents such as "IT Security Evaluation and Certification Scheme"[1], "IT Security Certification Procedure"[2]. A Problem found in certification process was prepared as certification review, which was sent to the developer. The Certification Body confirmed such problems pointed out in the certification review were solved. The Certification Body prepared the Assurance Continuity Maintenance Report based on the IAR and concluded the certification activities.

1.4 Overview of Report

1.4.1 Description of Change

1) Change to Certified TOE

Modifications for the certified TOE include “functional additions to products” and “improvements for performance and failures”. Modifications for products are shown in Table 1-1.

Table 1-1. Modifications for Products

<Image Control Program>

Modification Type	Modification Purpose	Detailed Information
Improvement and efficiency in manufacturing process	Response to new destination	Add factory default value in accordance with the destination.
Modification of CE function	Increase of digit number of PB501 serial number	Correct to input 13 digits serial number as optional finisher PB501.
	Addition of fixed parts counter	Add one type of fixed parts counter for PB501 paste tank unit operating time.
Support for new function	Response to multi-sheet insertion from PI	- Add UI (User Interface) to input multi-page number on PI cover/PI insertion setting screen for sheet insertion function. - Add control to insert multi-sheet.
	Addition of new status that sends to print controller	Add JOB tracking information (number of sheets per set, number of output pages) and print performance by JOB (number of sheets used by each tray, number of staple and punch, categorical operating time) to the status for transmitting to print controller.
	Default setting in remote scan	Enable default setting of parameter (density, original setting direction, original folding direction, mixed original) that cannot be specified from remote scan. (Available by service DIPSW.) *Remote scan does not function in case of security reinforcement mode ON.
Improvement of performance/function	Response to partition sheet insertion	Add control to output mixed paper feeding direction (SEF/LEF) in identical paper size.
	Response to switch output tray by page	Modify compulsory to the identical finisher when printer driver specifies different finisher's output tray, so that only switching main output tray and sub output tray on identical finisher is permitted.

Modification Type	Modification Purpose	Detailed Information
	Modification for Perfect Binder	<ul style="list-style-type: none"> - Modify action in case of binding and PJOB operation. - Modify action when receiving an alarm of "stuck paste" from the perfect binder. - Modify the temperature setting range for the paste tank unit.
	Prohibition for non-standard size	Prohibit fold&staple, multi centre folding, and trimming for non-standard size except width from 182 to 324 mm and length from 257 to 460 mm.
	Initialization of scanner and address/file name	Clear address and file name with moving to address selection screen by pressing Reset button on memory scan mode. (Available by switching service DIPSW.)
	Addition of character used for account password of Scan to FTP and BOX password of Scan to HDD	Add symbol except alphanumeric as available character. (Scan to FTP function that is out of TOE range, transmits scanned image to FTP server of outside TOE. Scan to HDD function that is out of TOE range, downloads scanned image from client PC of outside TOE. BOX password can be arbitrarily entered by user.)
	Revision of image direction in setting scanner mixed original	Make the scanned image in the same direction by setting original image uniformly and selecting the set original direction from operation panel. (Available by switching service DIPSW.)
	Release of multi centre folding limit	Release multi centre folding limit (number of sheets) by switching DIPSW (OFF : limit ON, ON : limit OFF).
	Response to front side/back side rear edge erase setting	Enable changing to 2/6/8/10 mm image erase amount of front/back side rear edge by switching DIPSW.
Improvement of failure	Correction of failure after starting JOB	Correct a variety of failures after the start of JOB.
	Correction of failure on operation and setting	Correction of a variety of failures related to operation and setting.

2) Change to development environment of Certified TOE

No modifications to the development environment.

1.4.2 Modified Developer Evidence

Modifications of this certified TOE needed to modify a part of the developer evidence that was

submitted for the certified TOE before. The modified developer evidence was correctly identified and the revised version was created.

1.4.3 Documents Attached to the changed TOE

Since a part of developer evidence attached to TOE has been modified, all documents attaching to the changed TOE are shown below.

Japanese version

- bizhub PRO 1050/bizhub PRO 1050e Installation Manual 56UA97367I 2007.4
- bizhub PRO 1050/1050e User's Guide Copier 56UA97374G 2007.4
- bizhub PRO 1050/1050e User's Guide POD Administrator's Reference 56UA97964G 2007.4
- bizhub PRO 1050/1050e User's Guide Security 56UA97944G 2007.4

Overseas version

- bizhub PRO 1050/bizhub PRO 1050e INSTALLATION MANUAL 56UA97367I 2007.4
- bizhub PRO 1050/1050e User's Guide Copier 56UE97374G 2007.4
- bizhub PRO 1050/1050e User's Guide POD Administrator's Reference 56UE97964G 2007.4
- bizhub PRO 1050/1050e User's Guide Security 56UE97945H 2007.4

2. Conduct and Results of Assurance Continuity by the Certification Body

2.1 Overview of Assurance Continuity Conducted

Application for the assurance continuity was accepted on 2007-05-24 and concluded with completion of the Report for Assurance Continuity. The Certification Body received the IAR necessary for assurance continuity by provided by developer, and examined the impacts to changed TOE.

A problem found by the Certification Body in the examination process was issued as the certification review and was reported to developer. This problem was investigated by the developer and reflected in the IAR.

2.2 Conduct of Certification

The following verification was conducted based on the IAR submitted by the developer during certification process.

- a. Description of the changes to the certified TOE shall be correct;
- b. The developer evidence to be changed shall be properly;
- c. The result of impact analysis to the changed TOE based on the developer evidence to be changed shall be properly.

A problem found in certification process was prepared as certification review, which was sent to the developer.

The Certification Body confirmed such problems pointed out in the certification review were solved in the IAR.

3. Conclusion

3.1 Certification Result

The Certification Body verified the submitted IAR and confirmed that the changed TOE is satisfying the EAL3 assurance requirements of the certified TOE, and also confirmed that there is not any impact to the assurance of the changed TOE.

Further, the Certification Body confirmed that there is not any impact on behavior of the changed TOE based on regression testing performed by the developer.

3.2 Recommendations

None

4. Glossary

The abbreviations used in this report are listed below.

CC:	Common Criteria for Information Technology Security Evaluation
CEM:	Common Methodology for Information Technology Security Evaluation
DIPSW:	DIP Switch
EAL:	Evaluation Assurance Level
IAR:	Impact Analysis Report
LEF:	Long Edge Feed
PI:	Post Inserter
PJOB:	Programming JOB
SEF:	Short Edge Feed
ST:	Security Target
TOE:	Target of Evaluation

The glossaries used in this report are listed below.

DIPSW:	Software setting to switch function and action, can be operated by servicemen and cannot be operated by users.
Fixed Parts Counter:	Usage counter for consumable parts.
IAR:	A report which records the analysis of the impact of changes to the certified TOE.
PB501:	Perfect Binder is a finisher enables online production of perfect bound books.
PJOB:	Programming JOB is a mode that performs memory scan with changing setting by a set.
Post Inserter:	Paper feed finishing device.
Remote Scan:	A function that scans as job mode commanded through external PC and sends to PC by scanner function.
SEF/LEF:	Paper feed direction : SEF(Short Edge Feeding) / LEF(Long Edge Feeding).
the certified TOE:	The version of the TOE that has been evaluated and for which a certificate has been issued.
the changed TOE:	A version that differs in some respect from the certified TOE.

the maintained TOE: A changed TOE that has undergone the maintenance process and to which the certificate for the certified TOE also applies.

5. Bibliography

- [1] IT Security Evaluation and Certification Scheme, May 2007, Information-technology Promotion Agency, Japan CCS-01
- [2] IT Security Certification Procedure May 2007, Information-technology Promotion Agency, Japan CCM-02
- [3] Guideline for Assurance Continuity in IT Security Certification, May 2007, Information-technology Promotion Agency, Japan
- [4] Multi functional printer (digital copier) bizhub PRO 1050 Series Impact Analysis Report Version 14 June 6, 2007 Konica Minolta Business Technologies, Inc.